

Questions

Tags

Users

COLLECTIVES

Explore Collectives

FIND A JOB

Jobs

Companies

TEAMS

Stack Overflow for Teams

Collaborate and share knowledge with a private group.

>_?

Free

Create a free Team

What is Teams?

41

30

I'm very new to javascript and trying to use Twitter bootstrap to get a good looking website up and running quickly. I know this has something to do with jquery, but I'm not sure how to stop my video when I push the close button or the close icon.

Can someone explain how I can get my video to stop playing because even when I close the window, I can still hear it in the background.

```
<!-- Button to trigger modal -->
<a href="#myModal" role="button" class="btn" data-toggle="modal"></a>

<!-- Modal -->
<div id="myModal" class="modal hide fade" tabindex="-1" role="labelledby="myModalLabel" aria-hidden="true">
  <div class="modal-header">
    <button type="button" class="close" data-dismiss="modal" aria=<</button>
    <h3 id="myModalLabel">I am the header</h3>
  </div>
  <div class="modal-body">
    <p><iframe width="100%" height="315" src="http://embed/662KGcjqT5Q" frameborder="0" allowfullscreen></iframe></p>
  </div>
  <div class="modal-footer">
    <button class="btn" data-dismiss="modal" aria-hidden="true">Close</button>
  </div>
</div>
```

javascriptjquerytwitter-bootstrapyoutube

Share

Improve this question

Follow

asked Dec 10 '12 at 10:46



catchmikey

1,609

4

20

20

Add a comment

22 Answers

ActiveOldestVotes

82

I know I'm 2+ years late, but since then, a couple of things have changed, with B3 the new way to perform this out of the box is this:

```
$( "#myModal" ).on( "hidden.bs.modal", function ( e ) {
    $( "#myModal iframe" ).attr( "src", $( "#myModal iframe" ).attr( "src" );
  } );
```

Have fun with Bootstrap!

Share

Improve this answer

Follow

edited Dec 26 '15 at 18:17

answered Jul 31 '14 at 22:23



gmslzz

1,106

1

9

15

1

Thank you! This was the most concise solution I found. – spiral Aug 26 '14 at 10:43

1

Worked for me as well. Thanks! – mergene May 12 '15 at 16:50

This should be the accepted answer, IMO. It's the most succinct, generalized, and least error prone. – thekingoftruth Jun 26 '15 at 16:31

Worked for me Thanks! – Huzoor Bux Sep 14 '15 at 9:49

3

Should be cacheing/reusing selectors. \$("#myModal").on("hidden.bs.modal", function (e) { var \$this = \$(this); var \$frame = \$this.find("iframe"); \$frame.attr("src", \$frame.attr("src"); }); – Craig MacKenzie May 11 '16 at 14:35

Show 1 more comment

42

There is a nice proper way of doing this - see the comments in the approved answer to [this post](#).

The Overflow Blog

Podcast 376: Writing the roadmap from engineer to manager

Level Up: Introduction to TypeScript

Featured on Meta

Unpinning the accepted answer from the top of the list of answers

Planned SEDE maintenance scheduled for Sept 22 and 24, 2021 at 01:00-04:00...

Outdated Answers: accepted answer is now unpinned on Stack Overflow

Congrats to Bhargav Rao on 500k handled flags!

Linked

Stop a youtube video with jquery?

Youtube Video Still Playing When Bootstrap Modal Closes

Stop playing video in iframe when modal is closed

2Angular 2 binding on modal's close event

0Pause video on Bootstrap Tab Change

1Stop YouTube Video when closing modal

flow page over current page

Start/stop youtube iframe when modal is shown/hidden through the api and JQuery events

html5 video keeps playing in background after bootstrap modal closes

1On closing a modal window (with video inside of it) the video disappears?

See more linked questions

Related

How do I get a YouTube video thumbnail from the YouTube API?

Bind a function to Twitter Bootstrap Modal Close

How to make Twitter Bootstrap menu dropdown on hover rather than click

Disallow Twitter Bootstrap modal window from closing

Passing data to a bootstrap modal

Bootstrap modal appearing under background

How to open a Bootstrap modal window using jQuery?

Center a column using Twitter Bootstrap 3

Change navbar color in Twitter Bootstrap

Add border to Textarea / Input when its empty

Hot Network Questions

What is the state-of-art (in industry and academy) of this scheduling + routing problem?

Canned Coconut milk is curdled when opened

I'm not seeing any measurement/wave function collapse issue in quantum mechanics

Replacement for Pearl Barley in cottage Pie

Do the swim speeds gained from Gift of the Sea and Gift of the Depths add together?

Generate possible combinations by range and length

Who defines which countries are permanent members of UN Security Council?

Fire mage vs. magnesium dust attack

Pythagorean triangle dissection

Damaged battery cable repair

Adding Units To Magic Numbers

Couldn't get that working first time round myself though, and was in a rush, so I did a rather horrible hacky bit of code which does the trick.

This snippet 'refreshes' the src of the embed iframe, causing it to reload:

```
jQuery(".modal-backdrop, #myModal .close, #myModal .btn").live("click", function() {
    jQuery("#myModal iframe").attr("src", jQuery("#myModal iframe").attr("src"));
});
```

Share Improve this answer Follow

edited May 23 '17 at 10:31

answered Dec 10 '12 at 11:14

 Community ♦
1 • 1

 RobCalvert123
452 • 5 • 3

Thanks @rob. I need to look more into this along with javascript to understand how these function. I tried inserting the code you mentioned above between some <script> tags but it didn't do anything to my website. It must be a naming issue that I need to learn about – [catchmikey](#) Dec 10 '12 at 12:36

1 Sorry was being a little lazy - have changed the above markup to match your HTML; should work now – [RobCalvert123](#) Dec 10 '12 at 14:36

Thanks @rob, this worked great. I'm not sure where to post followups in the comments, but I also wanted to apply this to the close button. I add the following and it worked. <script type="text/javascript">jQuery(".modal-backdrop, #myModal .close").live("click", function() { jQuery("#myModal iframe").attr("src", jQuery("#myModal iframe").attr("src")); }); jQuery(".modal-backdrop, #myModal .btn").live("click", function() { jQuery("#myModal iframe").attr("src", jQuery("#myModal iframe").attr("src")); });</script> – [catchmikey](#) Dec 10 '12 at 15:07

Aye that'll do it, but a slightly neater way is to target all three at once with that original function - see above, I've edited to also include '#myModal .btn' in that first part. If I were you I'd also look at that post I referenced (which Ruslanas is referring to below) - that's a better way to do it. – [RobCalvert123](#) Dec 10 '12 at 17:46

1 This method works in Firefox, but not in Chrome. Any suggestions? – [alyus](#) Mar 7 '13 at 22:10

Show 2 more comments



19



If someone still has the problem, try this, it worked for me:

```
$(document).ready(function(){
    $('.modal').each(function(){
        var src = $(this).find('iframe').attr('src');

        $(this).on('click', function(){

            $(this).find('iframe').attr('src', "");
            $(this).find('iframe').attr('src', src);

        });
    });
});
```

Share Improve this answer Follow

edited Mar 19 '14 at 14:02
 ckpepper02
3,149 • 5 • 26 • 43

answered Nov 15 '13 at 15:07
 knightkiddo
191 • 1 • 3

1 Awesome! this snippet has saved me from head banging against desk trauma, thanks! – [Nsokyi](#) Nov 11 '15 at 18:19

1 You saved me a big headache and best solution on Stack! – [Woody](#) Jul 9 '17 at 22:22

2 This should be the accepted answer!! With this approach, you don't have to pass through ID's or anything, since it goes through all the modals on the page. – [Zeth](#) Oct 23 '18 at 0:57

Add a comment



13



Here is a simple way I've found for having a video play in a modal window, and then stop playing on close.

Use the .html to load the iFrame with your video into the modal-body, when the modal is shown, and then replace the modal-body with nothing when it is hidden.

```
$('#myModal').on('show', function () {
    $('#div.modal-body').html("YouTube iFrame goes here");
});
$('#myModal').on('hide', function () {
    $('#div.modal-body').html("");
});
```

Here is a jsfiddle example:

<http://jsfiddle.net/WrrM3/87/>

Share Improve this answer Follow

answered Jan 30 '13 at 17:28
 Nathan McFarland
131 • 2

1 the trigger events should be "show.bs.modal" and "hide.bs.modal" instead of 'show' and 'hide' – [bpn](#) Dec 3 '14 at 0:37

This worked for me, but I used "show.bs.modal" and "hide.bs.modal" instead of 'show' and 'hide' just like @bpn said. Thanks guys. – [CENTIPEDE](#) Feb 9 '15 at 8:46

 What's the earliest work of science fiction to start out of order?

 Finder can show milliseconds - is this new in macOS?

 How did the mail become such a sacred right in the US?

 Why do the enemies have finite aggro ranges?

 Is there still a hole in the ozone layer?

 Banach spaces whose second conjugates are separable

 Sell stocks or borrow money from a friend to pay my credit card bill?

 Is there any pronoun in English that can include both HE and SHE?

 How do I read papers relevant to my research that are written in a language I do not know?

 How to draw this cube with holes?

 Is the estate of a deceased person a legal entity?

 Meeting was getting extended regularly: discussion turned to conflict

 Is a word/letter?

 Question feed

[Add a comment](#)



13



Here, I generalize @guillesalazar's answer.

This will reset any iFrame within any bootstrap modal (when the modal is closed):

```
$(function(){
  $("body").on('hidden.bs.modal', function (e) {
    var $iframes = $(e.target).find("iframe");
    $iframes.each(function(index, iframe){
      $(iframe).attr("src", $(iframe).attr("src"));
    });
  });
});
```

Add this to your layout and you're set.

UPDATE: Code modified for modals with multiple iFrames.

[Share](#) [Improve this answer](#) [Follow](#)

edited Jul 9 '15 at 22:39

answered Jun 26 '15 at 17:21



[thekingofruth](#)

1,552 ● 1 ● 22 ● 23

- 1 Added this function to a js file and included it in the html using `<script src="js/modal_vid.js"></script>` . I have multiple modals, some with multiple videos, and this works with embedded videos. Very nice. – [Vincent Jul 3 '15 at 19:47](#)
- @Vincent This should not work for modals which have multiple videos. For that you will have to loop over all the iFrames referenced in the \$iframe var. Ex: `$(iframe).each(function(item){$(item).attr("src", $iframe.attr("src"));})` . – [thekingofruth Jul 6 '15 at 21:33](#)
- @Vincent I've updated my answer to be even more generalized, so as to catch the case where you have multiple iFrames within your modals. – [thekingofruth Jul 6 '15 at 21:41](#)
- Hmmm. The pervious version seemed to do that just fine already. Will try out the new version as well. – [Vincent Jul 7 '15 at 1:18](#)
- @Vincent The previous version would seem to work but what would actually be happening is: the first iFrame's src attribute would replace all of the iFrames' src attributes in a given modal. – [thekingofruth Jul 8 '15 at 19:09](#)

[Show 7 more comments](#)



6



You should empty iframe src first and then set it up again.

So my working answer:

```
$("#myModal").on('hidden.bs.modal', function () {
  var src = $(this).find('iframe').attr('src');
  $(this).find('iframe').attr('src', '');
  $(this).find('iframe').attr('src', src);
});
```

October, 2014. For Bootstrap 3.

[Share](#) [Improve this answer](#) [Follow](#)

answered Oct 9 '14 at 14:43



[littlealien](#)

415 ● 3 ● 10

This worked for me, but I could not get @RobCalvert123 answer to work. Thanks for sharing! – [Nearpoint Oct 9 '14 at 19:47](#)

[Add a comment](#)



4



Here is my solution, it solves the following using bootstrap event calls:

1. Autoplay movie when showing the modal
2. Stop movie when modal is hidden

HTML carousel inside modal, first active item is the iframe video

```
<button class="btn btn-primary" data-toggle="modal" data-target="#myModal">Modal</button>

<div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-body">
        <div id="myCarousel" class="carousel slide carousel-fade" data-ride="carousel">
          <div class="carousel-inner" role="listbox">
            <div class="item active">
              <div class="fill">
                <iframe id="videoIframe" width="100%" height="100%" src="https://www.youtube.com/embed/UVAjm8b7YFg?re">
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
</div>
</div>
</div>
</div>
</div>
</div>
```

Javascript autoplay when displaying modal, then reset the URL and apply it to iframe src again

```
$('#myModal').on('show.bs.modal', function() {
  $('#videoIframe')[0].src += "&autoplay=1";
});
$('#myModal').on('hidden.bs.modal', function(e) {
  var rawVideoURL = $('#videoIframe')[0].src;
  rawVideoURL = rawVideoURL.replace("&autoplay=1", "");
  $('#videoIframe')[0].src = rawVideoURL;
});
```

[Share](#) [Improve this answer](#) [Follow](#)

answered Jul 21 '16 at 16:26



[Brandon Franklin](#)

353 • 3 • 11

[Add a comment](#)



2



This one does it perfectly:

```
$('#myModal').on("hidden.bs.modal", function(t) {
  var o = $(t.target).find("iframe");
  o.each(function(t, o) {
    $(o).attr("src", $(o).attr("src"));
  });
});
```

If you however want to have it start when modal opens / stop when it closes use this code:

But make sure to add enablejsapi=1 in your src, like this for example:

```
<iframe src="https://www.youtube.com/embed/YOUR_VIDEO_CODE?rel=0&controls=0&showinfo=0&enablejsapi=1" fra
```

```
function playStopVideo() {
  var youtubeFunc = "";
  var outerDiv = $('#myModal');
  var youtubeIframe = outerDiv.find("iframe")[0].contentWindow;
  outerDiv.on("hidden.bs.modal", function (e) {
    youtubeFunc = 'stopVideo';
    youtubeIframe.postMessage({'event': 'command', 'func': "" + youtubeFunc + "", 'args': ""}, '*');
  });
  outerDiv.on('shown.bs.modal', function (e) {
    youtubeFunc = 'playVideo';
    youtubeIframe.postMessage({'event': 'command', 'func': "" + youtubeFunc + "", 'args': ""}, '*');
  });
}

playStopVideo();
```

[Share](#) [Improve this answer](#) [Follow](#)

[edited Jun 9 '17 at 0:10](#)

answered Jun 8 '17 at 23:32



[nikola_wd](#)

581 • 2 • 9

[Add a comment](#)



2



A much easier way than all of these answers is just replacing the whole src. This works for all modals and you can adjust iframe class as required.

```
$('.modal').on('hidden.bs.modal', function(e) {
  var closestIframe = $(e.currentTarget).find('iframe');
  var rawVideoURL = $('#iframe')[0].src;

  closestIframe[0].src = "";
  closestIframe[0].src = rawVideoURL;
});
```

[Run code snippet](#)

[Expand snippet](#)

[Share](#) [Improve this answer](#) [Follow](#)

answered Jan 12 '18 at 5:16



[Jonathan](#)

154 • 2 • 15

[Add a comment](#)



2





Reload any iframe in bootstrap modal on `hide.bs.modal` event.

The `setTimeout` delay added for fixing iframe rendering after `src` reset.

```
$('#modal').on('hidden.bs.modal', function (event){
  let iframes = event.target.getElementsByTagName('iframe');
  for (let i = 0; i < iframes.length; i++) {
    let src_tmp = iframes[i].src;
    iframes[i].src = "";
    setTimeout(() => {
      iframes[i].src = src_tmp;
    }, 100);
  }
});
```

[Share](#) [Improve this answer](#) [Follow](#)

edited Dec 25 '20 at 6:36

answered Dec 25 '20 at 5:58



[Arthur Shlain](#)

634 ● 7 ● 17

Thank you! If you want to be able to open the modal again and watch the video, this is the solution. -- [Christian Fröhlich Jan 13 at 16:08](#)

[Add a comment](#)



1



I used a combination of [Ruslanas Balčiūnas](#) and [Nathan McFarland](#)'s answers to code something that worked well for me.

```
$('#myModal').on('hide',function(){
  $('#modal-body iframe').attr('src','');
});
```

So basically this sets the `src` attribute of the `iframe` to nothing when the close modal event is triggered. Short and sweet.

[Share](#) [Improve this answer](#) [Follow](#)

edited May 23 '17 at 12:02

answered Mar 19 '14 at 15:05



Community ♦

1 ● 1



[ckpepper02](#)

3,149 ● 5 ● 26 ● 43

[Add a comment](#)



1



My solution to this that works for `Bootstrap 3` and the modern `YouTube embed` format is as follows.

Assuming your video is embedded within a standard `Bootstrap 3 Modal` with `id="#video-modal"`, this simple bit of Javascript will do the job.

```
$(document).ready(function(){
  $('#video-modal').on('hide.bs.modal', function(evt){
    var player = $(evt.target).find('iframe'),
        vidSrc = player.prop('src');
    player.prop('src',''); // to force it to pause
    player.prop('src', vidSrc);
  });
});
```

I've seen proposed solutions to this issue involving use of the `YouTube API`, but if your site is not an `https` site, or your video is embedded using the modern format recommended by `YouTube`, or if you have the `no-cookies` option set, then *those solutions don't work* and you get the *"TV set to a dead channel"* effect instead of your video.

I've tested the above on every browser I could lay my hands on and it works very reliably.

[Share](#) [Improve this answer](#) [Follow](#)

answered May 29 '14 at 8:12



[Dave Sag](#)

12.5k ● 9 ● 79 ● 120

[Add a comment](#)



1



Expanding on [Guille's](#) answer above, this is a drop-in function that will work with `Bootstrap 3`, the latest version of `youtube` as of `Aug 14`, and **works for multiple videos/modals** in one page.

```
$('#modal').on('hidden.bs.modal', function(e) {
  $iframe = $(this).find( "iframe" );
  $iframe.attr("src", $iframe.attr("src"));
});
```

[Share](#) [Improve this answer](#) [Follow](#)

answered Aug 26 '14 at 11:30



[spiral](#)

538 ● 2 ● 10



1



Had a modal with many videos. Updated the code by @guillesalazar to close multiple videos in the modal.

```
$("#myModal").on('hidden.bs.modal', function (e) {
  $("#myModal iframe").each(function () {
    $(this).attr("src", "");
  });
});
```

[Share](#) [Improve this answer](#) [Follow](#)

edited Aug 2 '16 at 17:01

answered Apr 20 '15 at 18:34



[Lee Harris](#)

484 ● 3 ● 12

This doesnt work with with multiple links opening video ina modal window., when you close the modal window, the video still plays in the background – [user244394](#) May 5 '16 at 13:51

Add a comment



1



7 years after, we still need to solve this.

We found a best way to fix it (Inspired by [RobCalvert123](#) answer)

```
jQuery(".modal-backdrop, .modal.open .close, .modal.open .btn").live("click", function() {
  // Get iframe opened
  var iframe_open = jQuery('.modal.open');
  // Get src from opened iframe
  var src = iframe_open.attr('src');
  // replace src by src to stop it that's the tips
  iframe_open.attr("src", src);
});
```

[Share](#) [Improve this answer](#) [Follow](#)

edited May 31 '19 at 15:36

answered May 31 '19 at 15:06



[Vincent Guesné](#)

766 ● 5 ● 13 ● 28

1 For me the best answer – [YannSteph](#) May 31 '19 at 15:33

Thanks @YannSteph for your feedback – [Vincent Guesné](#) May 31 '19 at 15:34

Add a comment



1



1. Embed Youtube on your Page (html)

Add the Youtube div-container to your Website:

```
<div id="ytplayer">This will be replaced with the Youtube iFrame</div>
```

Add the Youtube Javascript Api (iFrame)

```
<script>
// Ads Youtube JS API
var tag = document.createElement('script');
tag.src = "https://www.youtube.com/iframe_api";
var firstScriptTag = document.getElementsByTagName('script')[0];
firstScriptTag.parentNode.insertBefore(tag, firstScriptTag);

// This function creates an <iframe> (and YouTube player) after the API code downloads.
var player;
function onYouTubeIframeAPIReady() {
  player = new YT.Player('ytplayer', {
    height: '390',
    width: '640',
    videoId: 'hcif63mSZl4',
    WMode: 'transparent',
    wmode: 'opaque',
    playerVars: {
      'autoplay': 0,
      'controls': 0,
      'autohide': 1,
      'rel': 0,
      'showinfo': 0,
      'modestbranding': 1,
    },
  });
};
```

```

    }

    function stopVideo() {
        player.stopVideo();
    }

    function pauseVideo() {
        player.pauseVideo();
    }

```

Controll with jQuery (Bootstrap Modal)

```

// Open Modal and start Playing Youtube Video
$("#myModalTrigger").click(function(){
    $("#video-modal").modal(); // opens up the Modal
    playVideo(); // Starts playing Video
});

// Stop Player on Modal hide
$("#video-modal").on('hide.bs.modal', function (e) {
    stopVideo(); // stop player
});

```

Share Improve this answer Follow

edited Jul 20 '20 at 11:43

answered Jul 20 '20 at 11:38



onedrop

41 • 5

Add a comment



```

$("#myModal").on('hide', function () {
    $("#video_player")[0].stopVideo();
})

```

Share Improve this answer Follow

edited May 9 '15 at 18:42

answered Dec 10 '12 at 14:49



Ruslanas Balčiūnas

6,417 • 3 • 21 • 39

1 Uncaught TypeError: Object [object Object] has no method 'stopVideo' – [Calin Jun 5 '13 at 18:03](#)

1 Should be \$('#playerID').get(0).stopVideo(); – [Sergey Snegirev Aug 31 '13 at 6:43](#)

Add a comment



[@guillesalazaar](#)'s answer was only the 1st half of my fix so I felt compelled to share my situation in case it helps someone in the future. I too have an embedded youtube video but I set mine to play automatically when the frame is loaded using `autoplay=1` . To get around the autoplay issue on page load I have my youtube url stored in a variable that sets the `iframe` source using a click handler. To solve this I simply removed the attribute source link:

My Url to trigger the modal window:

```

<div id="movieClick" class="text-center winner">
<a href="#" data-toggle="modal" data-keyboard="true" data-target="#movie">
</div>

```

My hidden modal window divs:

```

<div id="movie" class="modal fade" role="dialog" tabindex="-1">
  <div class="modal-dialog">

    <div class="modal-content">
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal">&times;</button>
        <h4 class="modal-title">They Live (1988)</h4>
      </div>
      <div class="modal-body">
        <iframe id="onscreen" width="100%" height="460px" src="" frameborder="0" allowfullscreen></iframe>
      </div>
    </div>
  </div>

</div>
</div>

```

My JS:

```

$("#movieClick").click(function(){
var theLink = "https://www.youtube.com/embed/Wp_K8prL.fso?autoplay=1&rel=0";
document.getElementById("onscreen").src = theLink;
});

```

```

// really annoying to play in the Background..this disables the link
$("#movie").on('hidden.bs.modal', function (e) {
    $("#movie iframe").attr("src", "");
});

```

Share Improve this answer Follow

answered Apr 14 '16 at 10:25

 **Frankenmint**
1,419 ● 1 ● 16 ● 30

Add a comment



```
//stop youtube video on modal close
$('modal').on('hidden.bs.modal', function () {
    var iframVideo = $('modal').find('iframe');
    $(iframVideo).attr("src", $(iframVideo).attr("src"));
});
```

Share Improve this answer Follow

edited Feb 12 '19 at 11:59

answered Feb 12 '19 at 11:42

 **Birendra Maharjan**
11 ● 3

Add a comment



My solution for 2 or more Youtube videos using the [HTML data-* attribute](#). The video *autoplays* and *stops* when the modal is opened and closed.

```
<button data-url="https://www.youtube.com/embed/C0DPdy98e4c" data-toggle="modal" data-target="#mymodal">Video 1</button>
<button data-url="https://www.youtube.com/embed/ScMzlvxBSi4" data-toggle="modal" data-target="#mymodal">Video 2</button>

<!-- Modal -->
<div id="mymodal" class="modal fade">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-body">
        <div class="modal-header">
          <button type="button" class="close" data-dismiss="modal" aria-hidden="true">Close</button>
        </div>
        <div class="embed-responsive embed-responsive-16by9">
          <iframe class="embed-responsive-item" src="" frameborder="0" allow="accelerometer; autoplay; encrypted-media; gyroscope" />
        </div>
      </div>
    </div>
  </div>
</div>

$('modal').on('show.bs.modal', function (event) {
    $(this).find('iframe').attr("src", $(event.relatedTarget).data('url') );
});

$('modal').on('hidden.bs.modal', function (e) {
    $(this).find('iframe').attr("src", "");
});
```

Here is a Codepen demo: <https://codepen.io/danielblazquez/pen/oOxRJq>

Share Improve this answer Follow

answered Apr 5 '19 at 12:53

 **DanielBlazquez**
966 ● 1 ● 11 ● 21

Add a comment



For angular or for dynamic html or if we have multiple iframes then use as below

```
$("#myModal").on('hidden.bs.modal', function (e) {
    $("#myModal iframe").each(function(){
        $(this).attr("src", $(this).attr("src"));
    });
});
```

Share Improve this answer Follow

answered May 1 '19 at 15:53

 **Gopala raja naika**
1,154 ● 13 ● 12

Add a comment



if you have multiple modals with many videos, let's say you have a modal on each slide on a carousel for instance, you need something more dynamic to close/stop the video in the visible slide and not mess up all the other modals, use this:

```
$( ".modal" ).on( "hidden.bs.modal", function ( e ) {  
    $( this ).find( "iframe" ).attr( "src", $( this ).find( "iframe" ).attr( "src" ) );  
});
```

[Share](#) [Improve this answer](#) [Follow](#)

answered Jan 11 '20 at 12:31



[Abdel Ourimchi](#)
136 ● 1 ● 5

[Add a comment](#)

Your Answer

B *I*

Sign up or [log in](#)

Sign up using Google

Sign up using Facebook

Sign up using Email and Password

Post as a guest

Name

Email

Required, but never shown

Post Your Answer *By clicking "Post Your Answer", you agree to our [terms of service](#), [privacy policy](#) and [cookie policy](#)*

Not the answer you're looking for? Browse other questions tagged [javascript](#) [jquery](#) [twitter-bootstrap](#)

[youtube](#) or [ask your own question](#).



STACK OVERFLOW

[Questions](#)
[Jobs](#)
[Developer Jobs Directory](#)
[Salary Calculator](#)
[Help](#)
[Mobile](#)
[Disable Responsiveness](#)

PRODUCTS

[Teams](#)
[Talent](#)
[Advertising](#)
[Enterprise](#)

COMPANY

[About](#)
[Press](#)
[Work Here](#)
[Legal](#)
[Privacy Policy](#)
[Terms of Service](#)
[Contact Us](#)
[Cookie Settings](#)
[Cookie Policy](#)

STACK EXCHANGE NETWORK

[Technology](#)
[Life / Arts](#)
[Culture / Recreation](#)
[Science](#)
[Other](#)

[Blog](#) [Facebook](#) [Twitter](#) [LinkedIn](#) [Instagram](#)

site design / logo © 2021 Stack Exchange Inc; user contributions licensed under [cc by-sa](#). rev 2021.9.17.40238